Product Environmental Aspects Declaration

EP and IJ printer (PCR number: AD-04)



No. AD-11-148 Date of publication May/17/2011



http://www.brother.co.jp/

For inquiry:

Product Environmental Group Environmental Management Dept. Brother Industries, Ltd.

Tel: +81-52-824-2735 FAX: +81-52-824-5667



Laser Multi-Function Center DCP-7060D Specifications:


- Electrophotographic Printer (EP)
- · Black & White
- Printing Speed: 26 ppmMaximum Printing Size: A4
- Duplex Printing

The following data is calculated by assuming the product prints 405,600 sheets in 5-year usage period.

- < Main environmental impact in the product lifecycle >
- Energy consumption 13,900MJ
- Global warming impact (CO₂ equivalent)

796kg 1.31kg

Acidification impact (SO₂ equivalent)



- Electric power consumption in 5 years of "Use stage" is 299kWh.
- The above data does not include the environmental impact of the paper that is used for printing.

Notes:

- 1. Original LCA data is available on PEIDS: Product Environmental Information Declaration Sheet, and Product Data Sheet.
- 2. Unified rules and requirements for EcoLeaf LCA, for intended product category, are available as a PCR: Product Category Rule. Visit EcoLeaf website under JEMAI homepage at http://www.jemai.or.jp/ecoleaf_e/ for details.
- 3. The units used for EcoLeaf calculations are based on Japanese domestic data. Overseas data has not been applied.

[Supplemental environmental information]

The product assembly and main parts of toner and photoconductor are produced at plants certified with ISO 14001.

The product conforms to the International Energy Star Program.

The product has obtained the ECO Mark certification (3R & Energy-Saving Design).

PCR review was conducted by: PCR Deliberation Committee, February 01, 2011, Name of representative : Yohji Uchiyama, University of Tsukuba, Graduate School

Independent verification of the label and data, according to ISO 14025:2006 ☐ internal ■ external Third party verifier *: Shozo Nakamuta

Program operator: Japan Environmental Management Association for Industry Email: ecoleaf@jemai.or.jp

^{*} In the case of a business entity certified as an Ecoleaf-data-collection system, the names of certification auditors are written.

Product Environmental Information Data Sheet (PEIDS)



Document control no.	F-02As-02
Product vendor	Brother Industries,LTD.
EcoLeaf registration no.	AD-11-148

Unit Function DB version Characterization Factor DB version

v2.1	
v2.1	

PCR name	EP and IJ print	er	Product type	DCP-7060D			
PCR code	AD-04	Product weight (kg)	9.94	Package (kg)	2.55	Weight total (kg)	12.5

Energy Consumption Coal Crude oil (for fuel) LNG Uranium content of an ore Ni content of an ore Ni content of an ore Pb content of an ore Au content of an ore Silica Sand	MJ Mcal kg kg kg	Raw material 1.41E+03 3.38E+02 6.59E+00 1.50E+01 2.84E+00 2.93E-04 5.89E+00 2.29E+00	Product 1.25E+02 2.98E+01 8.00E-01 1.01E+00 4.16E-01 5.42E-05 1.12E-02	Distribution 4.48E+01 1.07E+01 1.05E-04 9.79E-01 1.51E-02	1.23E+04 2.93E+03 7.31E+01 9.96E+01	1.23E+01 2.94E+00 7.44E-02	Total 1.39E+04 3.31E+03 8.06E+01
Coal Crude oil (for fuel) LNG Uranium content of an c Crude oil (for materia	Mcal kg kg kg kg re kg kg kg	3.38E+02 6.59E+00 1.50E+01 2.84E+00 2.93E-04 5.89E+00 2.29E+00	2.98E+01 8.00E-01 1.01E+00 4.16E-01 5.42E-05	1.07E+01 1.05E-04 9.79E-01 1.51E-02	2.93E+03 7.31E+01 9.96E+01	2.94E+00 7.44E-02	3.31E+03
Coal Crude oil (for fuel) LNG Uranium content of an c Crude oil (for materia	kg kg kg kg e kg kg kg kg kg	6.59E+00 1.50E+01 2.84E+00 2.93E-04 5.89E+00 2.29E+00	8.00E-01 1.01E+00 4.16E-01 5.42E-05	1.05E-04 9.79E-01 1.51E-02	7.31E+01 9.96E+01	7.44E-02	
Crude oil (for fuel) LNG Uranium content of an c Crude oil (for materia	kg kg re kg kg kg kg	1.50E+01 2.84E+00 2.93E-04 5.89E+00 2.29E+00	1.01E+00 4.16E-01 5.42E-05	9.79E-01 1.51E-02	9.96E+01		8.06E+01
Crude oil (for materia	kg re kg kg kg kg kg	2.84E+00 2.93E-04 5.89E+00 2.29E+00	4.16E-01 5.42E-05	1.51E-02			
Crude oil (for materia	re kg kg kg kg kg	2.93E-04 5.89E+00 2.29E+00	5.42E-05			1.31E-01	1.17E+02
Crude oil (for materia	kg kg kg	5.89E+00 2.29E+00			2.70E+01	3.83E-02	3.03E+01
	kg kg kg	2.29E+00	1.12E-02	7.10E-09	2.52E-03	5.03E-06	2.87E-03
lron content of an ore Cu content of an ore Al content of an ore Ni content of an ore Ni content of an ore Mn content of an ore Sn content of an ore Zn content of an ore Au content of an ore	kg kg			0	4.57E+01	0	5.16E+01
Cu content of an ore Al content of an ore Ni content of an ore Cr content of an ore Mn content of an ore Pb content of an ore Sn content of an ore Zn content of an ore Au content of an ore	kg		0	0	3.17E+01	0	3.39E+01
Al content of an ore Ni content of an ore		1.61E-01	0	0	9.35E-03	0	1.70E-01
Ni content of an ore Or content of an ore Or content of an ore Mn content of an ore Ni content of an ore Au content of an ore Au content of an ore Au content of an ore	ka	1.79E-01	0	0	4.01E+00	0	4.19E+00
Cr content of an ore Both Content of an ore Both Content of an ore Both Content of an ore Cr content of an ore Cr content of an ore Au content of an ore		7.82E-03	0	0	1.18E-01	0	1.26E-01
Mn content of an ore Sn content of an ore Sn content of an ore Zn content of an ore Au content of an ore Au content of an ore	kg	1.13E-02	0	0	1.71E-01	0	1.82E-01
Pb content of an ore Sn content of an ore An Content of an ore Au content of an ore Au content of an ore Au content of an ore	kg	1.17E-02	0	0	1.87E-01	0	1.99E-01
Sn content of an ore Zn content of an ore Au content of an ore Ag content of an ore	kg	8.45E-03	0	0	7.60E-04	0	9.21E-03
Zn content of an ore Au content of an ore Au content of an ore	kg	-	-	-	-	-	
Au content of an ore	kg	8.32E-02	0	0	7.46E-03	0	9.07E-02
M Δα content of an ore	kg	-	-	-	-	-	
Ag content of all ofe	kg	-	-	-	-	-	
	kg	7.41E-01	0	0	3.74E-01	0	1.12E+00
Halite	kg	4.59E+00	1.10E-04	0	3.59E+00	3.75E-03	8.18E+00
Limestone	kg	8.25E-01	7.10E-03	0	7.90E+00	1.04E-01	8.83E+00
Halite Limestone Natural soda ash Renewable Wood resources Water CO2 SOx NATURAL SODA NATURAL S	kg	7.85E-02	0	0	0	0	7.85E-02
Renewable Wood	kg	4.29E+00	2.09E-01	0	9.21E+01	0	9.66E+01
resources Water	kg	7.04E+03	6.19E+02	7.92E-02	4.49E+04	6.30E+01	5.26E+04
CO2	kg	7.23E+01	6.70E+00	3.18E+00	6.90E+02	1.12E+01	7.84E+02
SOx	kg	4.83E-02	4.89E-03	1.88E-03	5.19E-01	5.87E-03	5.79E-01
NOX	kg	9.70E-02	4.58E-03	1.42E-02	9.09E-01	1.25E-02	1.04E+00
to N2O	kg	6.89E-03	1.27E-04	5.47E-04	3.80E-02	1.61E-05	4.56E-02
Dept to NMVOC CXHy Dust BOD COD Note to N	kg	7.81E-04	1.45E-04	1.90E-08	6.65E-03	1.35E-05	7.59E-03
is to NMVOC	kg	9.33E-03	1.00E-03	3.52E-03 3.71E-08	1.49E-01 1.30E-02	2.28E-03	1.65E-01 1.49E-02
INMYOC CXHy Dust BOD COD to Water domain	kg	1.53E-03 3.23E-03	2.83E-04 3.79E-05	3.71E-08 4.40E-04	1.88E-02	2.64E-05 4.24E-05	1.49E-02 2.25E-02
Dust	kg kg	9.87E-03	2.24E-04	1.38E-03	7.51E-02	7.11E-04	8.72E-02
is is BOD	kg	9.07 E-03	2.24E-04	1.30E-03	7.51E-02	7.116-04	0.72E-02
SS COD		-		-		-	
to N total	kg kg	-	-	-	-	-	
	kg			-		-	
P total SS	kg	-	-	-	-	-	
Water domain P total SS Unspecified Solid Was		6.28E-01	2.98E-03	0	5.33E+01	4.69E+00	5.86E+01
Slag	kg kg	8.78E-01	0	0	9.67E+00	0	1.05E+01
to Sludge	kg	3.31E-01	0	0	8.61E+00	0	8.94E+00
Soil system	Rg	0.01L-01	0	0	3.01L+00	U	J.34L+00
Low level radio-active waste	kg	2.05E-04	3.78E-05	4.96E-09	1.76E-03	3.51E-06	2.00E-03
Exhaustible resources Suppose First Fir	kg	2.51E+01	2.46E+00	9.97E-01	2.00E+02	2.66E-01	2.28E+02
resources (Iron ore equivalent)	kg	5.00E+01	6.19E-03	0	1.66E+02	0	2.16E+02
The Book of the bo	kg	7.42E+01	6.74E+00	3.33E+00	7.01E+02	1.12E+01	7.96E+02
Atmosphere Acidification (SO2 equivalent)	kg	1.16E-01	8.09E-03	1.18E-02	1.15E+00	1.46E-02	1.31E+00

[Notes for readers: EcoLeaf common rules]

- A. "Production" stage is intended for two sub-stages listed below

- (1) "Raw material" production: consists of mining, transportation and raw material production.
 (2) "Product" production: consists of the parts processing, assembly and installation.

 B. "Distribution" stage is intended for transportation of produced product. Transportation of consumables and maintenance goods (e.g., replacement parts) for use of the product are included into "Use" stage.
- C. "Use" stage in intended for use of the product (active mode, standby mode, etc.) and production, transportation to disposal of consumables/maintenance goods (e.g., replacement parts).
- D. "Disposal" stage in intended for environmental impacts by product disposal.

- A. Data of mineral ore on "Exhaustible resources" are presented in weight of pure ingredients (e.g., iron, aluminum) in the ore.

 B. Data on energy resources are presented based on origin in calorific value. e.g. Data on uranium ore presents weight of uranium concentrate, which is available for use as an atomic fuel.

 C. Data of discharge to water system are in actual figure (not calculated using unit function in inventory analyses).

III. Impact analyses

Result of the "Impact analyses" is found in converting results of inventory analyses into total amount of a reference material (e.g. CQ in case of "Global Warming").

- B. Impact "by emission/discharge to environment" represents magnitude of impacts to Atmosphere, Water and Soil system.

- A. Exponential notation, after the decimal point to two, should be used.
- R. Exponential motation, rate the commandation of the result of calculation or estimation is considered as "zero" or negligible in comparison to related results.

 C. Indicate "—" if calculation nor estimation can not be done, in order to differentiate to indicate "zero".

 D. Row total of the data is automatically calculated, excluding a row includes "—" item. Row total of such is presented as a blank (no data).

(BGD for material production are for production from mineral ore. Those data do not include reclaiming processes like recovery from scrap.)

[Notes for readers: Target product specific]

- 1. Product weight includes the accessories as standard equipment, a toner cartridge and a drum unit. Packaging weight includes packaging material and appended goods (e.g., user's manual, other printed matter, polyethylene bags).

 2. Production stage includes the production/distribution impact of the parts making up a machine and the initial set of a toner cartridge and a photo conductor, as well as the impact of product assembly.
- 3. Distribution stage's impact is calculated according to the PCR. The transportation distance of a product from an overseas factory to the port of Japan is based on actual distance. The transportation distance in Japan uses 100 km as average distance
- 4. Use stage's impact is calculated according to the PCR. It includes the impact of printing 405600 sheets, calculated by supposing a user use a machine for 5 years.
- It also includes the electricity consumption of a machine calculated based on 5-year use, supposing a month consists of 4 weeks, with weekly electricity consumption calculated by the TEC test procedure. The production, distribution, and disposal/recycle impact of the consumables used in those 5 years is also included.

The distribution impact of consumables is calculated under the same condition of products:

- The transportation distance of consumables from an overseas factory to the port of Japan is based on actual distance. The transportation distance in Japan uses 100 km as average distance
- Since we have not collected consumables as a producer, which are newly introduced, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material
- This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of consumables.

 5. Disposal stage: Since we have not collected machines as a producer, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material.
- This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of machines

Product data sheet

(Input data and parameters for LCA)

	(in part acres and part acres acres acres
Document control no.	F-03s-02
Product vendor	Brother Industries,LTD.
EcoLEaf registration no.	AD-11-148



PSC name	EP and IJ printer(PCR ID:AD-04)	Product type	e DCP-7060D						
LCA/LCIA in units of:	1	Product weight(kg)	9.94	Package (kg)	2.55	weight total (kg)	12.5		

1. Product information (per unit): parts etc. by material and by process/assembly method

		Broakdown of n	rimary materials				own of parts,		
					which need to apply Processing / Assembly base Units (Parts B,C)				
	Material name	Weight (kg)	Material name	Weight (kg)	Process name	Weight (kg)	Process name	Weight (kg)	
	Steel	1.89E+00	Paper	2.00E+00	Press molding: Iron (kg)	1.93E+00	Parts assembly (kg)	1.58E+00	
#	Stainless steel	4.92E-02	Semiconductor substrate	7.52E-01	Press molding: Nonferrous metal (kg)	1.03E-01			
duct	Aluminum	1.46E-01	Wood	0	Injection molding (kg)	6.62E+00			
ĕ	Other metal	9.40E-04	Medium-sized motor	2.85E-01	Glass molding (kg)	7.14E-01			
_	Thermoplastic resin	6.41E+00	Lubricants	7.34E-04					
	Thermosetting resin	5.20E-02							
	Rubber	1.77E-01							
	Glass	7.14E-01							
	Subtotal	9.44E+00	Subtotal	3.04E+00					
		Total		1.25E+01	Subtotal	9.36E+00	Subtotal	1.58E+00	

Note

2. Production site information (per unit): Consumption and discharge/emission for production/processing/assembly within the site.

SOx and NOx should be indicated in SO₂, NO₂ equivalent.

	Classification	Material	Energy	Energy	Energy	Energy	Energy	Energy	Energy
Ē	Distribution	Corrugated cardboard (kg)	Electricity (kwh)	Diesel truck: 10 ton (kg.km)	Diesel truck: 2 ton (kg.km)	Incineration: Industrial waste (kg)	LNG (kg)	Diesel oil as fuel (kg)	Freight by ship (kg.km)
ţio	Quantity	9.82E-02	4.62E+00	1.82E+01	2.53E+01	1.10E-01	1.36E-02	2.25E-02	2.88E+02
mption	Note								
sul	Classification	Material	Energy	Energy	Energy				
Con	Distribution	PP (kg)	Heavy oil fuel (kg)	Diesel truck: 20 ton (kg.km)	LPG(NPG) as fuel (kg)				
	Quantity	1.13E-02	1.39E-03	1.52E+01	2.24E-02				
	Note								
n/ ge	Classification								
Emission, Discharge	Distribution								
misc	Quantity								
	Note								

Note

3. Distribution stage information (per unit): means, distance, loading ratio, consumptions and emissions/discharges.

		(,,	,					
	Means of	Diesel truck:	Diesel truck:	Diesel truck:	Diesel truck:	Freight by	Freight by	Freight by	Freight by
	transportation	20 ton (kg.km)	20 ton (kg.km)	20 ton (kg.km)	20 ton (kg.km)	ship (kg.km)	ship (kg.km)	ship (kg.km)	ship (kg.km)
_ ا	Conditions	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)
.5	Quantity	1.25E+01	5.00E+01	2.50E+01	2.49E+03	1.25E+01	4.06E+03	1.00E+02	5.07E+04
ΙĦ	Note								
=	Means of	Diesel truck:	Diesel truck:	Diesel truck:	Diesel truck:				
Dis	transportation	10 ton (kg.km)	10 ton (kg.km)	10 ton (kg.km)	10 ton (kg.km)				
	Conditions	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)				
	Quantity	1.25E+01	1.00E+02	2.50E+01	5.00E+03				
	Note								

Note

4. Use stage (per unit): use condition (mode, term) including active mode, standby mode and maintenance.

4.1 Product and accessories subject to this analysis

	Classification	Consumption	Consumption	Consumption	Consumption		Consumption	Consumption	Consumption
		Diesel truck:	Freight by	Diesel truck:	Diesel truck:		Electroplated	Stainless	·
	Distribution	20 ton (kg.km)	ship (kg.km)	10 ton (kg.km)	2 ton (kg.km)		steel Plate (kg)	steel plate (kg)	Copper plate (kg)
	Quantity	1.71E+04	3.21E+05	5.69E+04	1.67E+03		3.03E+01	7.43E-01	3.10E-02
		Distribution of	Distribution of	Distribution of	Distribution of				0
	Note	consumables used in	consumables used in	consumables used in	ingredient of				
		5 years	5 years	5 years	consumables used				
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Aluminum plate (kg)	Low density polyethylene (kg)	PP (kg)	PS (kg)	Polycarbonate (kg)	POM(polyacetal) (kg)	ABS (kg)	AS resin (kg)
	Quantity	3.80E+00	6.98E-01	9.69E-01	2.37E+01	1.39E+00	3.91E+00	3.01E+00	8.45E+00
	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
Product	Distribution	PET (kg)	Expandable soft polyurethane (for automobile) (kg)	Nitrile-butadiene rubber (NBR) (kg)	Corrugated cardboard (kg)	Cardboard (kg)	Paper (Western style)	Injection molding (kg)	Press molding: Iron (kg)
	Quantity	3.83E-01	5.93E-01	5.83E+00	2.63E+01	1.40E+01	1.76E+00	4.03E+01	3.10E+01
•	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Nonferrous metal	Parts assembly (kg)	Electricity (kwh)	Gasoline as fuel (kg)	Kerosene as fuel (kg)	Heavy oil fuel (kg)	LNG (kg)	Electricity (kwh)
	Quantity	2.37E+00	2.48E+01	2.99E+02	8.82E-05	8.37E-03	5.98E-01	4.49E-01	1.53E+02
				Electricity	Production of	Production of	Production of	Production of	Production of
	Note								consumables used in
	Olara ifi anti an	D		5 years	5 years	5 years	5 years	5 years	5 years
	Classification	Process							
	Distribution	Incineration: Industrial waste (kg)							
	Quantity	3.65E+00							
		Packaging materials			_	_			
	Note	for distribution of							
		ingredient	ears of "Use stage" is 2						

Note 1. Electric power consumption in 5 years of "Use stage" is 299kWh.

2. Production of consumables by China.

4.2 Disposition/Recycle information on consumables and replacement parts

F.E DIS	Disposition//tedysic information on consumatics and replacement parts											
Consumables	00	Classification	Consumption	Process	Process	Process						
	8	Distribution	Diesel truck:	Shredding (kg)	Incineration to	Landfill:						
	Ĺ		4 ton (kg.km)	5	landfill	General waste (kg)						
	50	Quantity	7.02E+03	7.26E+01	7.96E+01	3.53E+01						
	5	Note	Consumables not									
)		collected									

Note

5. Disposition/Recycle stage information (per product): process method and scenarios

	Classification	Consumption	Process	Process	Process							
ario	Distribution	Diesel truck: 4 ton (kg.km)	Shredding (kg)	Incineration to landfill	Landfill: General waste (kg)							
- E	Quantity	1.12E+03	9.06E+00	8.18E+00	3.42E+00							
ŭ	Note	Machines not collected										