Product Environmental Aspects Declaration

Facsimile (PCR number: AH-03)



No. AH-10-103 Date of publication Aug./31/2010

brother at your side

http://www.brother.co.jp/

For inquiry:

Product Environmental Group Environmental Management Dept. Brother Industries, Ltd. Tel: +81-52-824-2735 FAX: +81-52-824-5667




Inkjet Multi-Function Center MFC-J700D **Specifications:**

- Color Inkjet Printing
- Personal Use
- Recording Paper Size: A4 (Max. 210 x 297mm)
- Original Sheet Size: Max-width 210mm
- Modem Speed: 33,600 bps (Automatic Switchover)
- Product Weight: 7.7 kg

(Including accessories, not including packaging and printed matter)

The following data is calculated by assuming the product sends and receives both 900 sheets in 5-year usage period.

- < Main environmental impact in the product lifecycle > 2,580MJ
- Energy consumption
- Global warming impact (CO2 equivalent) 139kg Acidification impact (SO2 equivalent)
 - 0.192kg



- · Electric power consumption in 5 years of "Use stage" is 124kWh. (Includes Cordless handset's power consumption: 18.8kWh.)
- The above data does not include the environmental impact of the paper that is used for printing.

Notes:

- 1. Original LCA data is available on PEIDS: Product Environmental Information Declaration Sheet, and Product Data Sheet.
- 2. Unified rules and requirements for EcoLeaf LCA, for intended product category, are available as a PCR: Product Category Rule. Visit EcoLeaf website under JEMAI homepage at http://www.jemai.or.jp/ecoleaf_e/ for details.
- 3. The units used for EcoLeaf calculations are based on Japanese domestic data. Overseas data has not been applied.

[Supplemental environmental information]

The product assembly and main parts of ink and inkjet head are produced at plants certified with ISO 14001. The product conforms to the International Energy Star Program and the Law on Promoting Green Purchasing in Japan. The product has obtained the ECO Mark certification (3R & Energy-Saving Design).

PCR review was conducted by: PCR Deliberation Committee, January 01, 2008, Name of representative: Hisashi Ishitani, KEIO University Independent verification of the label and data, according to ISO 14025:2006 🗌 internal 🔳 external Third party verifier *: Kazuo Naitou Program operator: Japan Environmental Management Association for Industry Email: ecoleaf@jemai.or.jp

* In the case of a business entity certified as an Ecoleaf-data-collection system, the names of certification auditors are written.

Product Environmental Information Data Sheet (PEIDS)



Document control no. Product vendor

Brother Industries,LTD.

F-02As-02

Unit Function DB version

v2.1

EcoLeaf registration no.			on no.		10-103					v2.1 v2.1	
								-			
	PCR	name		Fac	simile		Product type		MFC-	J700D	
	PCR	code		AH-03		Product weight (kg)	7.75	Package (kg)	2.24	Weight total (kg	9.99
1.10				Life Cycle Stage	Unit	Produ		Distribution	Use	Disposal	Total
in/Ou	t items				MJ	Raw material	Product 9.94E+01	2.34E+01	1.18E+03	8.85E+00	2.58E+03
		Energ	y Cons	umption	Mcal	3.03E+02	2.37E+01	5.59E+00	2.82E+02	2.11E+00	6.16E+02
			y es	Coal	kg	6.23E+00	6.34E-01	5.47E-05	6.68E+00	5.25E-02	1.36E+01
			Energy resources	Crude oil (for fuel)	kg	1.37E+01	8.03E-01	5.11E-01 7.90E-03	7.63E+00	9.58E-02	2.28E+01
			Lesc	LNG Uranium content of an ore	kg kg	2.77E+00 3.07E-04	3.19E-01 4.29E-05	3.71E-09	3.34E+00 4.52E-04	2.70E-02 3.55E-06	6.47E+00 8.05E-04
				Crude oil (for material)	kg	4.16E+00	1.79E-03	0	9.31E-02	0	4.25E+00
				Iron content of an ore	kg	1.94E+00	0	0	1.71E-03	0	1.94E+00
	L.	seo.		Cu content of an ore	kg	1.96E-01	0	0	0	0	1.96E-01
	ptic	no	Exhaustible resources Mineral resources	Al content of an ore Ni content of an ore	kg kg	3.13E-02 6.62E-03	0	0	0 8.31E-04	0	3.13E-02 7.45E-03
	oy sum	res		Cr content of an ore	kg	9.51E-03	0	0	1.13E-03	0	1.06E-02
	ct b ons	Exhaustible		Mn content of an ore	kg	3.72E-02	0	0	1.43E-04	0	3.73E-02
	Impact by ce Consu			Pb content of an ore	kg	1.31E-02	0	0	0	0	1.31E-02
	Impact by Resource Consumption			Sn content of an ore	kg	-	-	-	-	-	1.005.01
	eso			Zn content of an ore Au content of an ore	kg kg	1.29E-01	-	0	0	0	1.29E-01
	Ř			Ag content of an ore	kg	-		-	-	-	
(0				Silica Sand	kg	7.31E-01	0	0	1.10E-05	0	7.31E-01
see				Halite	kg	7.80E-01	1.34E-03	0	1.47E-04	3.50E-03	7.85E-01
Inventory anaiyses				Limestone Natural soda ash	kg	8.25E-01 7.64E-02	8.70E-02 0	0	1.08E-02 0	7.06E-02 0	9.93E-01 7.64E-02
ar		Rene	wable	Wood	kg kg	4.85E+00	1.62E-02	0	7.16E-02	0	4.94E+00
or)			urces	Water	kg	7.83E+03	4.84E+02	4.13E-02	5.07E+03	4.43E+01	1.34E+04
ent				CO2	kg	6.84E+01	7.17E+00	1.66E+00	5.27E+01	7.63E+00	1.38E+02
				SOx	kg	4.28E-02	4.84E-03	9.92E-04	4.00E-02	4.01E-03	9.27E-02
				NOx N2O	kg kg	8.68E-02 5.92E-03	5.95E-03 9.00E-05	7.56E-03 2.84E-04	3.27E-02 6.14E-04	8.69E-03 1.21E-05	1.42E-01 6.92E-03
	ge		٥.	CH4	kg	8.21E-03	1.15E-04	9.91E-09	1.21E-03	9.50E-06	2.15E-03
	harç	Atmos	sphere	CO	kg	8.19E-03	1.01E-03	1.91E-03	7.82E-03	1.63E-03	2.06E-02
	bisc	Atmosphere tumerouroradia to to to Water domain		NMVOC	kg	1.60E-03	2.25E-04	1.94E-08	2.36E-03	1.86E-05	4.21E-03
	D/n			CxHy Dust	kg kg	2.74E-03 8.44E-03	3.28E-05 1.67E-04	2.32E-04 7.31E-04	1.49E-04 1.79E-03	3.30E-05 4.99E-04	3.19E-03 1.16E-02
	ssio viro			BOD	kg	-	-	-	-	-	1.102-02
	en		0	COD	kg	-	-	-	-	-	
		Water	-	N total	kg	-	-	-	-	-	
	to to			P total	kg	-	-	-	-	-	
	Impact by to th			SS Unspecified Solid Waste	kg kg	- 4.71E-01	- 3.26E-04	- 0	- 8.02E-02	- 4.38E+00	4.93E+00
	-			Slag	kg	9.08E-01	0	0	1.08E-03	0	9.09E-01
			o ystem	Sludge	kg	9.50E-03	0	0	0	0	9.50E-03
		00113	ystem	Low level	kg	2.15E-04	3.00E-05	2.59E-09	3.15E-04	2.48E-06	5.62E-04
	0.0			radio-active waste	9						
	by Resource Consumptio n	Exhau	ustible	Energy resources (crude oil equivalent)	kg	2.36E+01	1.94E+00	5.21E-01	1.96E+01	1.91E-01	4.59E+01
	Resinnen		urces	Mineral resources	ka	6.22E+01	9.86E-04	0	7.08E-01	0	6.29E+01
aut	ça			(Iron ore equivalent)	kg	0.22E+01	9.00E-04	0	7.062-01	0	0.29E+01
Impact assessment	harge			Global Warming (CO2 equivalent)	kg	7.00E+01	7.19E+00	1.74E+00	5.29E+01	7.64E+00	1.39E+02
asse	n/Disc nment		0	Acidification (SO2 equivalent)	kg	1.04E-01	9.00E-03	6.29E-03	6.29E-02	1.01E-02	1.92E-01
npact	Impact by Emission/Discharge to the environment	Atmos	sphere								
-	act by E to the										
	Impi		o system								

[Notes for readers: EcoLeaf common rules]

I. Stage related

A. "Production" stage is intended for two sub-stages listed below.
(1) "Raw material" production: consists of mining, transportation and raw material production.
(2) "Product" production: consists of the parts processing, assembly and installation.

B. "Distribution" stage is intended for transportation of produced product. Transportation of consumables and maintenance goods (e.g., replacement parts) for use of the product are included into "Use" stage. C. "Use" stage in intended for use of the product (active mode, standby mode, etc.) and production, transportation to disposal of consumables/maintenance goods (e.g., replacement parts). D. "Disposal" stage in intended for environmental impacts by product disposal.

II. Inventory analyses

- A Data of mineral ore on "Exhaustible resources" are presented in weight of pure ingredients (e.g., iron, aluminum) in the ore. B. Data on energy resources are presented based on origin in calorific value. e.g. Data on uranium ore presents weight of uranium concentrate, which is available for use as an atomic fuel.

C. Data of discharge to water system are in actual figure (not calculated using unit function in inventory analyses).

III. Impact analyses

Result of the "Impact analyses" is found in converting results of inventory analyses into total amount of a reference material (e.g. CO2 in case of "Global Warming"). A. Impact "by resource consumption" represents magnitude of impacts to resource depletion. B. Impact "by emission/discharge to environment" represents magnitude of impacts to Atmosphere, Water and Soil system.

IV. Data entry format

Exponential notation, after the decimal point to two, should be used.

B. Indicate "0" instead exponential notation, if the result of calculation or estimation is considered as "zero" or negligible in comparison to related results.

C. Indicate "--" if calculation nor estimation can not be done, in order to differentiate to indicate "zero". D. Row total of the data is automatically calculated, excluding a row includes "--" item. Row total of such is presented as a blank (no data).

(BGD for material production are for production from mineral ore. Those data do not include reclaiming processes like recovery from scrap.)

[Notes for readers: Target product specific]

Product weight includes a handset as standard equipment, an ink cartridge and other accessories. Packaging weight includes packaging material and appended goods (e.g., user's manual, other printed matter).
Production stage includes the production/distribution impact of the parts making up a machine and the initial set of an ink cartridge and an inkjet head, as well as the impact of product assembly.

- In the production impact of raw material, the impact of a Ni-MH battery is calculated using the basic impact rate of an alkaline-manganese battery. 3. Distribution stage's impact is calculated according to the PCR. The transportation distance of a product from an overseas factory to the port of Japan is based on actual distance
- The transportation distance in Japan uses 100 km as average distance 4. Use stage's impact is calculated according to the PCR. It includes the impact of fax transmitting 900 sheets and printing 900 sheets by receiving.
- This number is calculated by supposing a user use a machine for 5 years, sending 15 sheets a month, receiving 15 a month,
- The production, distribution, and disposal/recycle impact of the ink cartridges used in those 5 years is also included.
- The distribution impact of consumables is calculated under the same condition of products:

The transportation distance of consumables from an oversees factory to the port of Japan is based on actual distance. The transportation distance in Japan uses 100 km as average distance Since we have not collected consumables as a producer in Japan, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material

This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of consumables. 5. Disposal stage: Since we have not collected machines as a producer in Japan, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material. This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of machines

Product data sheet

	(Input data and parameters for LCA)
Document control no.	F-03s-02
Product vendor	Brother Industries,LTD.
EcoLEaf registration no.	AH-10-103



PSC name	Facsimile(PCR ID:AH-03)	Product type	MFC-J700D							
LCA/LCIA in units of:	1	Product weight (kg)	7.75	Package (kg)	2.24	weight total (kg)	9.99			
1. Product information (per	Product information (per unit): parts etc. by material and by process/assembly method									

		Breakdown of prim	ary materials	Math breakdown of parts, which need to apply Processing / Assembly base Units (Parts B,C)				
	Material name	Weight (kg) Material name		Weight (kg)	Process name	Weight (kg)	Process name	Weight (kg)
	Steel	1.51E+00	Paper	2.20E+00	Press molding: Iron (kg)	1.55E+00	Parts assembly (kg)	3.41E+00
it.	Stainless steel	4.17E-02	4.17E-02 Semiconductor substrate		Press molding: Nonferrous metal (kg)	4.72E-03		
Inc	Aluminum 4.19E-03		Wood	6.39E-04	injection molding (kg)	4.23E+00		
õ	Other metal 5.31E-04		Medium-sized motor	3.05E-01	Glass molding (kg)	6.19E-01		
ā	Thermoplastic resin	4.01E+00	Batteries	5.43E-02				
	Thermosetting resin	9.11E-04	Lubricants	8.40E-04				
	Rubber	2.21E-01	Clean water	3.70E-02				
	Glass	6.21E-01						
	Subtotal	6.41E+00	Subtotal	3.58E+00				
	Total 9.99E				Subtotal	6.40E+00	Subtotal	3.41E+00

Note

2. Production site information (per unit): Consumption and discharge/emission for production/processing/assembly within the site.

SOx and NOx should be indicated in SO₂, NO₂ equivalent.

	Classificatior	Material	Material	Energy	Energy	Energy	Material	Material	Energy
Ę	Distribution	Corrugated cardboard (kg)	PP (kg)	Clean water (kg)	Furnace urban gas (13A) (m3)	Electricity (kwh)	Incineration: Industrial waste (kg)	Clean water (kg)	Incineration: Industrial waste (kg)
ption	Quantity	7.60E-03	1.80E-03	2.00E-01	2.18E-04	4.23E+00	1.17E+00	1.16E+00	1.76E-01
đ	Note								
Insu	Classificatior	Energy	Energy	Energy	Energy	Energy	Energy		
Con	Distribution	Gasoline as fuel (kg)	Freight by air (kg.km)	Heavy oil fuel (kg)	Diesel truck: 10 ton (kg.km)	Freight by ship (kg.km)	Diesel truck: 4 ton (kg.km)		
	Quantity	2.60E-02	7.72E+01	1.59E-03	6.47E+00	1.28E+02	2.06E+00		
	Note								
	Classificatior								
mission ischarg	Distribution								
is di	Quantity								
Ξä	Note								

Note

3. Distribution stage information (per unit): means, distance, loading ratio, consumptions and emissions/discharges.

	Means of	Diesel truck:	Diesel truck:	Diesel truck:	Diesel truck:	Freight by	Freight by	Freight by	Freight by
	transportation	20 ton (kg.km)	20 ton (kg.km)	20 ton (kg.km)	20 ton (kg.km)	ship (kg.km)	ship (kg.km)	ship (kg.km)	ship (kg.km)
_	Conditions	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)
io.	Quantity	9.99E+00	8.50E+01	5.07E+01	1.67E+03	9.99E+00	2.63E+03	1.00E+02	2.63E+04
off	Note								
i:	Manage of	Diesel truck:	Diesel truck:	Diesel truck:	Diesel truck:				
5	Means of	Diesei truck.	Diesei truck.	Diesei truck.	Diesei truck.				
Distr	transportation	10 ton (kg.km)	10 ton (kg.km)	10 ton (kg.km)	10 ton (kg.km)				
Distr									
Distr	transportation	10 ton (kg.km)	10 ton (kg.km)	10 ton (kg.km)	10 ton (kg.km)				

Note

4. Use stage (per unit): use condition (mode, term) including active mode, standby mode and maintenance.

4.1 Product and accessories subject to this analysis

	adot and aco	essories subject to	tina analysia						
	Classificatior	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Electricity (kwh)	Diesel truck: 20 ton (kg.km)	Freight by ship (kg.km)	Diesel truck: 10 ton (kg.km)	Stainless steel plate (kg)	PP (kg)	POM(polyacetal) (kg)	ABS (kg)
	Quantity	1.24E+02	8.96E+00	1.25E+03	2.64E+01	5.26E-03	6.23E-02	2.19E-03	2.31E-02
	Note	Electricity consumption for 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years				
uct	Classificatior	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	PET (kg)	Nitrile-butadiene rubber (NBR) (kg)	Paper (Western style)	Corrugated cardboard (kg)	Clean water (kg)	injection molding (kg)	Press molding: Iron (kg)	Diesel oil as fuel (kg)
po	Quantity	9.93E-03	1.88E-03	1.46E-03	3.20E-02	4.98E-02	9.94E-02	5.26E-03	5.30E-05
Ē	Note								Production of consumables used ir 5 years
	Classificatior	Consumption	Consumption	Consumption	Consumption	Process			
	Distribution	LPG(NPG) as fuel (kg)	Furnace urban gas (13A) (m3)	Electricity (kwh)	Clean water (kg)	Incineration: Industrial waste (kg)			
	Quantity	3.05E-04	1.09E-04	1.57E-01	1.00E-01	8.80E-02			
	Note	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years			

Note Electric power consumption in 5 years of "Use stage" is 124kWh.(Includes Cordless handsets' power consumption: 18.8kWh.)

4.2 Disposition/Recycle information on consumables and replacement parts

se	Classificatior	Consumption	Process	Process	Process		
q	Distribution	Diesel truck:		Incineration to	Landfill:		
mal		4 ton (kg.km)	Shredding (kg)	landfill	General waste (kg)		
sul	Quantity	3.77E+01	2.70E-01	3.74E-01	1.58E-02		
Ë	Note	Consumables not	Consumables not	Consumables not	Consumables not		
Ŭ	NOLE	collected	collected	collected	collected		
Note							

5. Disposition/Recycle stage information (per product): process method and scenarios

	Classificatior	Consumption	Process	Process	Process		
<u>.</u>	Distribution	Diesel truck:	Shredding (kg)	Incineration to	Landfill:		
Jar		4 ton (kg.km)	Shiedding (kg)	landfill (as ash) (kg)	General waste (kg)		
cer	Quantity	8.79E+02	7.53E+00	5.56E+00	3.52E+00		
Ň	Note	Machines not	Machines not	Machines not	Machines not		
	NOLE	collected	collected	collected	collected		
Note							